CONTENTS

Ab initio analysis of 2-aminoethanol conformers, including electron correlation corrections for the energy
L.G. Vanquickenborne, B. Coussens, C. Verlinde and C. De Ranter (Leuven, Belgium) 1
A MO analysis of the aromaticity of some nitrogen heterocyclic compounds
O. Mó, M. Yáñez and J. Elguero (Madrid, Spain) 17
Ab initio studies of five doublet states and the dissociation of the X^2B_1 and A^2A_1 states of the PH_2 radical
J.-P. Gu, M.-B. Huang and F. Kong (Anhui, China) and S.-H. Liu (Guang Dong, China) 39
The investigation of density-matrix properties for saturated molecules
V. Gineityté and D. Shatkovskaya (Vilnius, U.S.S.R.) 49
Ab initio SCF studies on thioformic acid: basis-set effects
T. Raaska, H. Kunttu and M. Räsänen (Helsinki, Finland) 59
Theoretical vibrational spectra of acetylene dimer: "T" and cyclic configurations
J.S. Craw, W.B. De Almeida and A. Hinchliffe (Manchester, Gt. Britain) 69
Enumeration of the set of saturated compounds that, in theory, could be formed by the linear fusion of regular pentagonal modules, including the logical extrapolation to "helicanes"
S.B. Elk (New Milford, NJ, U.S.A.) 75
Intermolecular interactions, proton-transfer and charge-transfer transitions in biological hydrogen-bonded systems: thioguanine–cytosine, adenine–5-fluoro(bromo)-uracil, Mg^{2+}–guanine–cytosine complexes and *cis*-$Pt(NH_3)_2^{2+}$–thioguanine (guanine)
J. Lipiński (Wroclaw, Poland) 87
Ab initio study on the charge-transfer complexes of boron trihalide with ammonia, trimethylamine, phosphine and trimethylphosphine
F. Hirota, K. Miyata and S. Shibata (Shizuoka, Japan) 99
Semiempirical calculations of *anti/gauche* enthalpy differences in acyclic cyano-derivatives
C. Jaime, F. López-Calahorra, N. Santaló and D. Velasco (Barcelona, Spain) 113
A computational study of some 1,4-diaminobutanes and their protonated forms
P. Politzer, I.M. Elminyawi and P. Lane (New Orleans, LA, U.S.A.) and R.L. McKenney Jr. (Eglin Air Force Base, FL, U.S.A.) 117
Effect of hydration on the acidities of substituted methylammonium ions
J.-F. Cai and R.D. Topsom (Bundoora, Auistralia) 129
The bonding in heterobimetallic complexes. Part 1. A DV-X_α study of the electronic structure of three early–late transition-metal complexes
H. Tang, C.-W. Liu and J.-X. Lu (Fujian, China) 137
Cluster-model study on the adsorption of atoms and molecules on the basal plane of graphite
N. Russo and M. Toscano (Calabria, Italy) 149
An SCF-MS-X_α study of the bonding and nuclear quadrupole coupling in oxygen compounds of the halogens
G.A. Bowmaker and P.D.W. Boyd (Auckland, New Zealand) 161
On the electronic distribution for extended systems: the particle numbers as a statistical magnitude
R.C. Bochicchio and J.A. Medrano (Buenos Aires, Argentina) 177
Internal rotation potentials in molecules with two rotors: a topological analysis
P. Gómez Calzada and L. Fernández Pacios (Madrid, Spain) 187
Evaluation of hydrogen bonding strength in 3-(4'-biphenyl)pentane-2,4-dione: an AM1 study
G. Buemi (Catania, Italy) 193
The influence of the calculation method on conformational analysis of pyrrolidin-2-one derivatives
U. Cosentino, C. Scolastico, G. Moro, G. Morosi and D. Pitea (Milan, Italy) 199

Lewis formulae for metallic systems: the Li tetramer paradigm
N.D. Epiotis (Seattle, WA, U.S.A.) 213
^{13}C NMR chemical shift and crystal structure of polyethylene chains in the solid state as studied by tight-binding theory within the INDO/S framework
H. Kurosu and I. Ando (Tokyo, Japan) and T. Yamanobe (Kanagawa, Japan) 239
Quantum chemical study on transition states: intermediates of the unimolecular decomposition of acetic acid
J.F. Xie, J.G. Yu, W.L. Feng and R.Z. Liu (Beijing, China) 249
Theoretical calculations on the basicity of amines. Part 1. The use of molecular electrostatic potential for pK_a prediction
P. Nagy, K. Novak and G. Szasz (Budapest, Hungary) 257
Theoretical calculations on the basicity of amines. Part 2. The influence of hydration
P. Nagy (Budapest, Hungary) 271
Ab initio study of hydrogen bonds and proton transfer in the systems $(CH_3)_3NH^+\cdots{}^-$**OCOH** and $CH_3NH_3^+\cdots OCHOCH_3$ modelling a local-anaesthetic–receptor interaction
M. Remko (Bratislava, Czechoslovakia) 287
Electronic structure of platinum(II) antitumor complexes and their interactions with nucleic acid bases. Part II
J. Lipiński (Wrocław, Poland) 295
Equilibrium geometry, force field and stability of the 1,2-dihalogenocyclobutene-3,4-diones
B. Lunelli and G. Orlandi (Bologna, Italy), F. Zerbetto (Ottawa, Ont., Canada) and M. Grazia Giorgini (Bologna, Italy) 307
Effects of strong dynamical couplings between vibrations in the IR spectra of the bifurcated hydrogen bonds
H.T. Flakus (Katowice, Poland) 319
Metal ion interactions with water and ammonia
H.-J. Hofmann (Leipzig, G.D.R.), P. Hobza (Prague, Czechoslovakia), R. Cammi and J. Tomasi (Pisa, Italy) and R. Zahradnik (Prague, Czechoslovakia) 339
The role of the carboxylate binding pocket of the vancomycin group of antibiotics in the antibacterial effect. A molecular mechanics study
I. Komáromi (Debrecen, Hungary), Á. Somogyi (Budapest, Hungary), Z. Dinya, R. Bognar and F. Sztaricskai (Debrecen, Hungary) 351
Molecular mechanics (MM2) calculations on organo selenium and tellurium compounds
N.L. Allinger, J.A. Allinger and L.Q. Yan (Athens, GA, U.S.A.) 363
Cation transconformation in organic semi-conductor triethylammonium(tetracyano-7,7,8,8-*p*-quinodimethane)$_2$ a theoretical conformational analysis
H. Grassi and H. Broch (Nice, France) 371
Molecular and electronic structure of M(2,4-dithiobiuret)$_2$ complexes ($M=Ni^{2+}$, Pd^{2+}, Pt^{2+}) by a theoretically improved INDO method
J. Leszczyński and A.T. Kowal (Wrocław, Poland) 383

Book review 395

Author index 397

Subject index 399